Nuclear Engineering and Design 121 (1990) 473–475
North-Holland

AUTHOR INDEX TO VOLUME 121

Altes, J., see Rehm 121 (1990) 211
Ameur-Moussa, R. and O. Buyukozturk, A bounding surface model for concrete 121 (1990) 113
Arndt, E., J. Schoening and W. Wachholz, Design status of the HTR 500 power plant 121 (1990) 277
Arndt, E., see Candeli 121 (1990) 249

Barnert, H., see Candeli 121 (1990) 249
Barthels, H., see Rehm 121 (1990) 211
Bäumer, R., I. Kalinowski, E. Röhler, J. Schöning and W. Wachholz, Construction and operating experience with the 300 MW THTR nuclear power plant 121 (1990) 155
Baust, E. and I.A. Weisbrodt, Introducing the HTR into the market - Status and strategy 121 (1990) 311
Bieniarz, P., see Specter 121 (1990) 441
Bieniarz, P., see Specter 121 (1990) 447
Bodmann, E., see Nickel 121 (1990) 183
Boyack, B.E., see Siebe 121 (1990) 459
Breitling, H., see Nickel 121 (1990) 183
Brinkmann, G. and M. Will, Concept licensing procedure for the HTR-module nuclear power plant 121 (1990) 293
Brinkmann, H.U., see Kirch 121 (1990) 241
Brücher, P.H., see Kirch 121 (1990) 241
Buyukozturk, O., see Ameur-Moussa 121 (1990) 113

Camiciola, P., see Marsili 121 (1990) 409
Candeli, R., E. Arndt and H. Barnert, Status of the high-temperature reactor (HTR)-Applications 121 (1990) 249
Chou, V. and P. Griffith, Admitting cold water into steam filled pipes without water hammer due to steam bubble collapse 121 (1990) 367
Christ, A., see Katscher 121 (1990) 219
Christ, A., see Nabielek 121 (1990) 199
Clausse, A., see Park 121 (1990) 1
Corradini, M.L., see Elafify 121 (1990) 103

Dallman, R.J., W.J. Galyean and K.C. Wagner, Containment venting as an accident management strategy for BWRS with Mark I containments 121 (1990) 421
Denten, J.P., see Ishii 121 (1990) 341
Drew, D.A., see Park 121 (1990) 1
Dumm, K., W. Theymann and C.B. Von der Decken, Design and qualification of components for high-temperature reactors 121 (1990) 193

Elafify, M.M. and M.L. Corradini, Condensation of vapor in the presence of a noncondensable gas at low pressures 121 (1990) 103

Feltes, W., see Wolf 121 (1990) 227
Fenner, R.T., see Yu 121 (1990) 53
Furutani, A., see Saito 121 (1990) 11

Galyean, W.J., see Dallman 121 (1990) 421
George, J.A., see Montgomery 121 (1990) 395
Giesser, W., see Wolf 121 (1990) 227
Gottaut, H. and K. Krüger, Results of experiments at the AVR reactor 121 (1990) 143
Griffith, P., see Chou 121 (1990) 367
Grosser, E.D., see Kirch 121 (1990) 167

Harth, R., W. Jansing and H. Teubner, Experience gained from the EVA II and KVK operation 121 (1990) 173
Hattori, Y., see Saito 121 (1990) 11
Heit, W., see Nabielek 121 (1990) 199
Herzberger, K.-H., see Kirch 121 (1990) 167
Hilpert, K., see Katscher 121 (1990) 219
Hodge, S.A., and L.J. Ott, BWRSAR calculations of reactor vessel debris pours for Peach Bottom short-term station blackout 121 (1990) 327
Hodge, S.A., see Parker 121 (1990) 359
Hsu, Y.Y., see Shieh 121 (1990) 83
Hyman, C.R., CONTAIN calculations of debris conditions adjacent to the BWR Mark I drywell shell during the later phases of a severe accident 121 (1990) 379

Imahori, S., see Saito 121 (1990) 11
Iniotakis, N., see Katscher 121 (1990) 219
Ishii, M. and J.P. Denten, Two-phase flow characteristics of inverted bubbly, slug and annular flow in post-critical heat flux region 121 (1990) 341
Ishii, M., see Lee 121 (1990) 69
Isozaki, M., see Saito 121 (1990) 11

Jansing, W., see Harth 121 (1990) 173

Kalinowski, I., see Bäumer 121 (1990) 155
Katayaja, J., see Kukita 121 (1990) 431

Katscher, W., R. Moormann, K. Verfondern, C.B. Von der Decken, N. Iniotakis, K. Hilpert, A. Christ, G. Lohnert and U. Wawrzik, Fission product behaviour and graphite corrosion under accident conditions in the HTR 121 (1990) 219
Kirch, N., E.D. Grosser and K.-H. Herzberger, Status and aims of the research and development program for high-temperature reactors 121 (1990) 167
Kirch, N., H.U. Brinkmann and P.H. Brücher, Storage and final disposal of spent HTR fuel in the Federal Republic of Germany 121 (1990) 241
Kondo, S., see Wang 121 (1990) 45
Kröger, W., J. Mertens and J. Wolters, Basic risk analyses for high-temperature reactor 121 (1990) 299
Krüger, K., see Gottaut 121 (1990) 143
Kühnlein, W., see Nabielek 121 (1990) 199
Kukita, Y., J. Katayama, H. Nakamura and K. Tasaka, Loop seal clearing and refilling during a PWR small-break LOCA 121 (1990) 431
Kuzelka, V., Mathematical modelling of dynamic deformations in cylindrical shell excited by turbulent flow 121 (1990) 39

Lahey, Jr., see Park 121 (1990) 1
Lee, S.Y. and M. Ishii, Characteristics of two-phase natural circulation in freon-113 boiling loop 121 (1990) 69
Lin, C.L., see Montgomery 121 (1990) 395
Lohnert, G., see Katscher 121 (1990) 219
Lohnert, G., Technical design features and essential safety-related properties of the HTR-module 121 (1990) 259

Marsili, P., A. Pasculli and P. Camiciola, ATWS scoping calculations for a BWR plant performed using RELAP5/MOD2 and CONTAIN codes 121 (1990) 409
Mertens, J., see Kröger 121 (1990) 299
Montgomery, R.O., Y.R. Rashid, J.A. George, K.L. Peddicord and C.L. Lin, Validation of FREY for the safety analysis of LWR fuel using transient fuel rod experiments 121 (1990) 395
Moormann, R., see Katscher 121 (1990) 219

Nabielek, H., W. Kühnlein, W. Schenk, W. Heit, A. Christ and H. Ragoss, Development of advanced HTR fuel elements 121 (1990) 199
Nakamura, H., see Kukita 121 (1990) 431
Nickel, H., F. Schubert, H. Breitling and E. Bodmann, Development and qualification of materials for structural components for the high temperature gas-cooled reactor 121 (1990) 183

Ott, L.J., see Hodge 121 (1990) 327
Ott, L.J., see Parker 121 (1990) 359

Park, J.-W., D.A. Drew, R.T. Lahey, Jr. and A. Clausse, Void wave dispersion in bubbly flows 121 (1990) 1
Parker, G.W., L.J. Ott and S.A. Hodge, Small scale BWR core debris eutectics formation and melting experiment (technical note) 121 (1990) 359
Pasculli, A., see Marsili 121 (1990) 409
Peddicord, K.L., see Montgomery 121 (1990) 395
Pedersen, D.R., see Tzanos 121 (1990) 59
Pong, L.T., HECTR assessment of some HDR experiments 121 (1990) 25

Ragoss, H., see Nabielek 121 (1990) 199
Rashid, Y.R., see Montgomery 121 (1990) 395
Ratnam, U., see Theofanous 121 (1990) 93
Rehm, W., J. Altes and H. Barthels, Thermodynamic investigations of passive decay heat removal from HTR cores and component behaviour 121 (1990) 211
Röhler, E., see Bäumer 121 (1990) 155

Saito, M., K. Sato, A. Furutani, M. Isozaki, S. Imahori and Y. Hattori, Melting attack of solid plates by a high temperature liquid jet - Effect of crust formation 121 (1990) 11
Sato, A., see Saito 121 (1990) 11
Schenk, W., see Nabielek 121 (1990) 199
Scherer, W., see Wolf 121 (1990) 227
Schmitt, H., The 20MW gas-cooled heating reactor: Upgrading the GHR 10 121 (1990) 287
Schoening, J., see Arndt 121 (1990) 277
Schöning, J., see Bäumer 121 (1990) 155
Schubert, F., see Nickel 121 (1990) 183
Schulten, R., Introduction to the Topical Issue on the Status of the German HTR development 121 (1990) 131
Shieh, S., C. Unal and Y.Y. Hsu, The effect of the hot-leg riser length on the carryover phenomena in a two-phase natural circulation loop 121 (1990) 83
Siebe, D.A., J.L. Steiner and B.E. Boyack, TRAC-PF1/MOD1 calculations and data comparisons for MIST small-break LOCA, feed-and-bleed and steam-generator tube-rupture experiments 121 (1990) 459
Specter, H. and P. Bieniarz, Is Mark I shell failure really important? - Part 1 121 (1990) 441
Specter, H. and P. Bieniarz, Is Mark I shell failure really important? - Part 2 121 (1990) 447
Steiner, J.L., see Siebe 121 (1990) 459
Steinwarz, W. and Xu Yuanhui, Status of design of the HTR-Test Module China 121 (1990) 317

Tasaka, K., see Kukita 121 (1990) 431
Teubner, H., see Harth 121 (1990) 173

Theofanous, T.G., A.S. Wanniarachchi and U. Ratnam, Bubble-induced circulation and associated boundary heat transfer 121 (1990) 93
Theyman, W., see Dumm 121 (1990) 193
Tzanos, C.P. and D.R. Pedersen, Analysis of RVACS tests for COMMI validation 121 (1990) 59

Unal, C., see Shieh 121 (1990) 83

Verfondern, K., see Katscher 121 (1990) 219
Von der Decken, C.B., see Dumm 121 (1990) 193
Von der Decken, C.B., see Katscher 121 (1990) 219

Wachholz, W., see Arndt 121 (1990) 277
Wachholz, W., see Bäumer 121 (1990) 155
Wagner, K.C., see Dallman 121 (1990) 421
Walker, S.P., see Yu 121 (1990) 53
Wang, H. and S. Kondo, A study on the stratified horizontal counter-current two-phase flow 121 (1990) 45
Wanniarachchi, A.S., see Theofanous 121 (1990) 93
Wawrzik, U., see Katscher 121 (1990) 219
Weisbrodt, I.A., see Baust 121 (1990) 311
Will, M., see Brinkmann 121 (1990) 293
Wolf, L., W. Scherer, W. Giesser and W. Feltes, High-temperature reactor core physics and reactor dynamics 121 (1990) 227
Wolters, J., see Kröger 121 (1990) 299

Xu Yuanhui, see Steinwarz 121 (1990) 317

Yu, A., S.P. Walker and R.T. Fenner, Pellet-clad bonding during PCMI 121 (1990) 53

Ziermann, E., Review of 21 years of power operation of the AVR experimental nuclear power station in Jülich 121 (1990) 135

Nuclear Engineering and Design 121 (1990) 477–479
North-Holland

SUBJECT INDEX TO VOLUME 121

Thermal and fluid design

Void wave dispersion in bubbly flows, J-W. Park, D.A. Drew, R.T. Lahey, Jr. and A. Clausse 121 (1990) 1
Melting attack of solid plates by a high temperature liquid jet – effect of crust formation, M. Saito, K. Sato, A. Furutant, M. Isozaki, S. Imahori and Y. Hattori 121 (1990) 11
HECTR assessment of some HDR experiments, L.T. Pong 121 (1990) 25
A study on the stratified horizontal countercurrent two-phase flow, H. Wang and S. Kondo 121 (1990) 45
Analysis of RVACS tests for COMMIX validation, C.P. Tzanos and D.R. Pedersen 121 (1990) 59
Characteristics of two-phase natural circulation in freon-113 boiling loop, S.Y. Lee and M. Ishii 121 (1990) 69
The effect of the hot-leg riser length on the carryover phenomena in a two-phase natural circulation loop, S. Shieh, C. Unal and Y.Y. Hsu 121 (1990) 83
Bubble-induced circulation and associated boundary heat transfer, T.G. Theofanous, A.S. Wanniarachchi and U. Ratnam 121 (1990) 93
Condensation of vapor in the presence of a noncondensable gas at low pressures, M.M. Elafify and M.L. Corradini 121 (1990) 103
BWRSAR calculations of reactor vessel debris poors for Peach Bottom short-term station blackout, S.A. Hodge and L.J. Ott 121 (1990) 327
Two-phase flow characteristic of inverted bubble, slug and annular flow in post-critical heat flux region, M. Ishii and J.P. Denten 121 (1990) 341
Small scale BWR core debris eutectics formation and melting experiment (technical note), G.W. Parker, L.J. Ott and S.A. Hodge 121 (1990) 359
Admitting cold water into steam filled pipes without water hammer due to steam bubble collapse, Y. Chou and P. Griffith 121 (1990) 367
CONTAIN calculations of debris conditions adjacent to the BWR Mark I drywell shell during the later phases of a severe accident, C.R. Hyman 121 (1990) 379
ATWS scoping calculations for a BWR plant performed using RELAP5/MOD2 and CONTAIN codes, P. Marsili, A. Pasculli and P. Camiciola 121 (1990) 409
Containment venting as an accident management strategy for BWRS with Mark I containments, R.J. Dallman, W.J. Galyean and K.C. Wagner 121 (1990) 421
Loop seal clearing and refilling during a PWR small-break LOCA, Y. Kukita, J. Katayama, H. Nakamura and K. Tasaka 121 (1990) 431
Is Mark I shell failure really important? – Part 1, H. Specter and P. Bieniarz 121 (1990) 441
Is Mark I shell failure really important? – Part 2, H. Specter and P. Bieniarz 121 (1990) 447
TRAC-PF1/MOD1 calculations and data comparisons for MIST small-break LOCA, feed-and-bleed and steam-generator tube-rupture experiments, D.A. Siebe, J.L. Steiner and B.E. Boyack 121 (1990) 459

Heat conduction and transfer

Validation of FREY for the safety analysis of LWR fuel using transient fuel rod experiments, R.O. Montgomery, Y.R. Rashid, J.A. George, K.L. Peddicord and C.L. Lin 121 (1990) 395

Engineering mechanics

Mathematical modelling of dynamic deformations in cylindrical shell excited by turbulent flow, V. Kuželka 121 (1990) 39
Pellet–clad bonding during PCMI, A. Yu, S.P. Walker and R.T. Fenner 121 (1990) 53
A bounding surface model for concrete, R. Ameur-Moussa and O. Buyukozturk 121 (1990) 113

Materials properties

Development and qualification of materials for structural components for the high-temperature gas-cooled reactor, H. Nickel, F. Schubert, H. Breitling and E. Bodmann 121 (1990) 183

Mechanical design, component fabrication and testing

Design and qualification of components for high-temperature reactors, K. Dumm, W. Theymann and C.B. von der Decken 121 (1990) 193

Reactor concepts and systems analysis

Review of 21 years of power operation of the AVR experimental nuclear power station in Jülich, E. Ziermann 121 (1990) 135
Construction and operating experience with the 300 MW THTR nuclear power plant, R. Bäumer, I. Kalinowski, E. Röhler, J. Schöning and W. Wachholz 121 (1990) 155
Status and aims of the research and development program for high-temperature reactors, N. Kirch, E.D. Großer and K.-H. Herzberger 121 (1990) 167
Experience gained from the EVA II and KVK operation, R. Harth, W. Jansing and H. Teubner 121 (1990) 173
Status of the high-temperature reactor (HTR)-applications, R. Candeli, E. Arndt and H. Barnert 121 (1990) 249
Technical design features and essential safety-related properties of the HTR-Module, G. Lohnert 121 (1990) 259
Design status of the HTR 500 power plant, E. Arndt, J. Schoening and W. Wachholz 121 (1990) 277
The 20 MW gas-cooled heating reactor: Upgrading the GHR 10, H. Schmitt 121 (1990) 287
Concept licensing procedure for the HTR-Module nuclear power plant, G. Brinkmann and M. Will 121 (1990) 293
Basic risk analyses for high-temperature reactor, W. Kröger, J. Mertens and J. Wolters 121 (1990) 299
Introducing the HTR into the Market – Status and strategy, E. Baust and I.A. Weisbrodt 121 (1990) 311

Safeguard engineering

Fission product behaviour and graphite corrosion under accident conditions in the HTR, W. Katscher, R. Noormann, K. Verfondern, C.B. van der Decken, N. Iniotakis, K. Hilpert, A. Christ, G. Lohnert and U. Wawrzik 121 (1990) 219

Layout of nuclear facilities

Status of the high-temperature reactor (HTR)-applications, R. Candeli, E. Arndt and H. Barnert 121 (1990) 249
Technical design features and essential safety-related properties of the HTR-Module, G. Lohnert 121 (1990) 259
Design status of the HTR 500 power plant, E. Arndt, J. Schoening and W. Wachholz 121 (1990) 277
Status of design of the HTR-Test Module China, W. Steinwarz and Xu Yuanhui 121 (1990) 317

Miscellaneous

Introduction to the Topical Issue on the Status of the German HTR development, R. Schulten 121 (1990) 131

Nuclear waste management and disposal

Storage and final disposal of spent HTR fuel in the Federal Republic of Germany, N. Kirch, H.U. Brinkmann and P.H. Brücher 121 (1990) 241

Core physics and fuel design

Results of experiments at the AVR reactor, H. Gottaut and K. Krüger 121 (1990) 143
Development of advanced HTR fuel elements, H. Nabielek, W. Kühnlein, W. Schenk, W. Heit, A. Christ and H. Ragoß 121 (1990) 199
Thermodynamic investigations of passive decay heat removal from HTR cores and component behaviour, W. Rehm, J. Altes and H. Barthels 121 (1990) 211
Fission product behaviour and graphite corrosion under accident conditions in the HTR, W. Katscher, R. Moormann, K. Verfondern, C.B. van der Decken, N. Iniotakis, K. Hilpert, A. Christ, G. Lohnert and U. Wawrzik 121 (1990) 219
High-temperature reactor core physics and reactor dynamics, L. Wolf, W. Scherer, W. Gießer and W. Feltes 121 (1990) 227

Nuclear safety

Void wave dispersion in bubbly flows, J-W. Park, D.A. Drew, R.T. Lahey, Jr. and A. Clausse 121 (1990) 1
Melting attack of solid plates by a high temperature liquid jet – effect of crust formation, M. Saito, K. Sato, A. Furutani, M. Isozaki, S. Imahori and Y. Hattori 121 (1990) 11
HECTR assessment of some HDR experiments, L.T. Pong 121 (1990) 25
A study on the stratified horizontal countercurrent two-phase flow, H. Wang and S. Kondo 121 (1990) 45
Analysis of RVACS tests for COMMIX validation, C.P. Tzanos and D.R. Pedersen 121 (1990) 59
Characteristics of two-phase natural circulation in freon-113 boiling loop, S.Y. Lee and M. Ishii 121 (1990) 69

The effect of the hot-leg riser length on the carryover phenomena in a two-phase natural circulation loop, S. Shieh, C. Unal and Y.Y. Hsu 121 (1990) 83

BWRSAR calculations of reactor vessel debris poors for Peach Bottom short-term station blackout, S.A. Hodge and L.J. Ott 121 (1990) 327

Two-phase flow characteristic of inverted bubbly, slug and annular flow in post-critical heat flux region, M. Ishii and J.P. Denten 121 (1990) 341

Small scale BWR core debris eutectics formation and melting experiment (technical note), G.W. Parker, L.J. Ott and S.A. Hodge 121 (1990) 359

Admitting cold water into steam filled pipes without water hammer due to steam bubble collapse, Y. Chou and P. Griffith 121 (1990) 367

CONTAIN calculations of debris conditions adjacent to the BWR Mark I drywell shell during the later phases of a severe accident, C.R. Hymann 121 (1990) 379

Validation of FREY for the safety analysis of LWR fuel using transient fuel rod experiments, R.O. Montgomery, Y.R. Rashid, J.A. George, K.L. Peddicord and C.L. Lin 121 (1990) 395

ATWS scoping calculations for a BWR plant performed using RELAP5/MOD2 and CONTAIN codes, P. Marsili, A. Pasculli and P. Camiciola 121 (1990) 409

Containment venting as an accident management strategy for BWRS with Mark I containments, R.J. Dallman, W.J. Galyean and K.C. Wagner 121 (1990) 421

Loop seal clearing and refilling during a PWR small-break LOCA, Y. Kukita, J. Katayama, H. Nakamura and K. Tasaka 121 (1990) 431

Is Mark I shell failure really important? – Part 1, H. Specter and P. Bieniarz 121 (1990) 441

Is Mark I shell failure really important? – Part 2, H. Specter and P. Bieniarz 121 (1990) 447

TRAC-PF1/MOD1 calculations and data comparisons for MIST small-break LOCA, feed-and-bleed and steam-generator tube-rupture experiments, D.A. Siebe, J.L. Steiner and B.E. Boyack 121 (1990) 459